

Scissor / Arial Lifts	Safe	Unsafe	Comments/Observations (Identify Subcontractor):
Nothing to increase height			
Operating on flat surface			
Operator training			
Safe work distances			
Surface free of holes			

Site / Public Protection	Safe	Unsafe	Comments/Observations (Identify Subcontractor):
Adequate lighting			
Barricades installed properly			
Company rep present			
Excavations protected			
Falling object protection			
Perimeter fences			
Public protection signage			
Security system in place			
Street closure identified			
Traffic Control plan			

Steel Erection 1926.750 Subpart R	Safe	Unsafe	Comments/Observations (Identify Subcontractor):
2 bolts per connection			
Adequate site conditions			
Anchor bolts certification			
Anchorage points meet req			
CDZ training / utilized			
Concrete @ 75%			
Decking secured			
EE above 30' protected			
EE btwn 15-30' fall prot pres			
Erector notif of modification			
Qualified rigger			
Fall pro training provided			
Falling object protection			
Mult lift proced utilized			
Mult lift/rig/con training			
Proper anch of colmns/beam			
Proper erection plan			
Site layout / sequence plan			



Steel Erection 1926.750 Subpart R	Safe	Unsafe	Comments/Observations (Identify Subcontractor):
Struct flooring requirements			
Written approv conc strength			

Welding / Cutting 1926.350 Subpart J	Safe	Unsafe	Comments/Observations (Identify Subcontractor):
Bottles upright/cap/secured			
Cylinder ID			
Fire ext present			
Flash arrest on torches			
Flash protection available			
Gauges working properly			
Leads in good condition			
Lead repairs adequate			
Proper Storage of cylinders			
Prop PPE in use			
Torch hoses good cond			
Weld machine ventilated			
Welding boots on device			